

Patient's full name: **TEST CHRISTINA**

Individual number:  941131



Order №: 5569571

Date of birth: 15/09/1995 Full age: 24

**LABORATORY RESULTS**

Research	Result	Reference range
<b>Medical certificate</b>		
<b>on coronavirus COVID-19 (SARS-CoV-2) Real-time (RT) PCR testing results</b>		
<b>Material:</b> Scraping of epithelial cells from the oropharynx and nasopharynx	<b>Order date:</b> 27/08/2020	
Detection RNA of coronavirus COVID-19 (SARS-CoV-2)	not detected	not detected
Test performed by test kit: «Detecting RNA of SARS-COV-2 coronavirus and SARS-like coronavirus real-time (RT) PCR by DNA-Technology».		



Production director:  
Guliev Ruslan



Head of laboratory:  
Ochir-Goryaeva Tsagan



Create report date: 27/08/2020

Interpretation of the results is not a diagnosis; diagnostic conclusion is performed by the patient's treating clinician. The laboratory is not responsible for the consequences of self-interpretation of the results by the patient. The results obtained are applicable to the specific test sample. A time frame for getting the laboratory test results to identify the RNA coronavirus COVID-19 (SARS-CoV-2) in nasopharyngeal and oropharyngeal swabs is within 2 to 3 days.